

Cannon RaceCraft Inc.

201 East Hill Street

Oklahoma City, OK 73105

Phone: 405-524-7223 Fax: 405-524-2568

www.cannonracecraft.com

APPLICATION CHART*



IF YOU DO NOT SEE WHAT YOU WANT, CALL US!
WE CUSTOM MAKE SPRINGS.

*Cannon RaceCraft Inc. owners and employees make no claims as to the 100% accuracy of the suggested applications included in the chart. ITEMS ARE ONLY SUGGESTIONS.

Cannon Racecraft Inc. makes no warranties either expressed or implied. We shall **not** be liable for any loss, damage, injury, or death arising from the use of our product. User assumes all responsibility and risk. Racing can be a DANGEROUS activity.

DEALER APPLICATION

COMPANY NAME _____
OWNER/CONTACT _____
COMPANY ADDRESS _____

PHONE NUMBER _____ FAX NUMBER _____
FEDERAL ID # _____ PAYMENT METHOD: _____
SALES TAX OR TAX EXEMPTION# _____ CC? OR COD/6MONTHS _____

IS THIS THE SAME AS SHIP TO?
IF NOT PLEASE PROVIDE SHIPPING ADDRESS

FAX BACK TO 405-524-2568

OR EMAIL TO

ordering@cannonracecraft.com

BANK INFO

NAME _____
ADDRESS _____

ACCOUNT CONTACT _____
PHONE NUMBER _____

THREE TRADE REFERENCES

NAME _____
ADDRESS _____

PHONE AND FAX _____
CONTACT PERSON/ACCOUNT# _____

NAME _____
ADDRESS _____

PHONE AND FAX _____
CONTACT PERSON/ACCOUNT# _____

NAME _____
ADDRESS _____

PHONE AND FAX _____
CONTACT PERSON/ACCOUNT# _____

HOW DID YOU HEAR ABOUT US _____

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
<i>ITMES NOTED"**, "" & "SPECIAL ORDER ONLY" - ARE AT A HIGHER PRICE</i>					
<i>ALL SPRINGS BY EVEN RATES - OTHER RATES BY SPECIAL ORDER</i>					
HONDA					
2004-2008	CRF 70		call for info		
1996-2008	CR 80/85R	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
1999-2008	CR 80/85RB EXP	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
2004-2008	CRF100F	17558	.50, .60 NO SPACER NEEDED	45134	850LB
2001-2007	CR 125R	41485	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.4
1997-2000	CR 125R	41470	.32 - .54 EVEN RATES	59270	3.6 - 7.8
2007-2008	CRF 150R(B)	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
2003-2007	CRF 150	27585	.42, .44, .46, .48	54288	700#, 850#
2003-2008	CRF 230	30597	.40, .42, .44, .46, .48	51290	CALL
1997-2008	CR(F) 250R(X)	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
1996	CR 250R	41470	.32 - .54 EVEN RATES	59270	3-6-7.8
2002-2008	CRF 450R	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
2006-2008	CRF450X	43510	NEEDS THE EXTRA PRELOAD		
1996-2001	CR 500R	41470	.32 - .54 EVEN RATES	59270	3.6-7.8
	XR 50	26165 26184	52#, 52#L, 62#, 62#L, 72#, 72#L	33120	200, 280, 300, 325, 350, 225-350, Dual Rate
	PW80		call for info		
1997-2003	XR70	17403	.50, .60	35154	300, 325, & 350
2002-2003	XR 100R	17558	.50, .60 NO SPACER NEEDED	45134	850#
1999-2003	XR 200R	29595	.42, .44, .46, .48	57190	CALL
1999-2004	XR 250R	34444*	SPECIAL ORDER ONLY	57190	CALL
1996-1999	XR 400R	37505	.42, .44, .46, .48, .50	64220	8.0-12.0
		36.7X505	MAY OR MAY NOT NEED SPACER		
2000-2004	XR 400R	37537*	SPECIAL ORDER ONLY	64220	8.0-12.0
		36.7X537	OR USE 37505 AND SPACER		
1996-2000	XR 600R	36574*	SPECIAL ORDER ONLY	64220	8.0-12.0
			OR USE 37505 AND SPACER		
2000-2007	XR 650R	39505	.44, .46, .48	62247	10.0-12.4
1999-2008	XR 650L	37505	.42, .44, .46, .48, .50	64220	8.0-12.0
			MAY OR MAY NOT NEED SPACER		
			1996 IS 572 LENGTH		

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
KAWASAKI					
1983-2003	KX 60	24485	SPECIAL ORDER ONLY-NO SPACER NEEDED		call
2002-2008	KX 65	27500	.24, .26, .28, .30, .32, .34, .36	46212	3.2 - 7.0
2000-2001	KX 65	27460	.28, .30	46212	3.2 - 7.0
2001-2008	KX 85	31428	.24, .26, .28, .30, .32, .34, .36, .38	55240	3.2 - 7.6
1992-2000	KX 80	31428	.24, .26, .28, .30, .32, .34, .36, .38	55240	3.2 - 7.6
1995-2008	KX 100	31428	.24, .26, .28, .30, .32, .34, .36, .38	55240	3.2 - 7.6
2003-2007	KX 125	43461	.34,.36,.38,.40,.42,.44,.46,.48,.50, .52	59270	3.6 - 7.8
2002	KX 125	43472*	SPECIAL ORDER ONLY	59270	3.6 - 7.8
1996-2001	KX 125	41470	.32 - .54 EVEN RATES	59270	3.6 - 7.8
2006-2008	KX250F	43495	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
2004-2005	KX 250F (4str)	43461	.34,.36,.38,.40,.42,.44,.46,.48,.50, .52	59270	3.6 - 7.8
2005-2007	KX 250 (2 str)	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2003-2004	KX 250	43461	.34,.36,.38,.40,.42,.44,.46,.48,.50, .52	59270	3.6 - 7.8
2002	KX 250	43472*	SPECIAL ORDER ONLY	59270	3.6 - 7.8
1996-2001	KX 250	41470	.32 - .54 EVEN RATES	59270	3.6 - 7.8
2007-2008	KX450F	44470	.36,.38,.40,.42,.44,.46,.48,.50	59270	3.6-7.8
2006	KX450F	44480	.36,.38,.40,.42,.44,.46,.48,.50	59270	3.6-7.8
1997-2004	KX 500	41470	.32 - .54 EVEN RATES	59270	3.6-7.8
1999-2006	KDX 200	36475**	.38,.40,.42,.44,.46,.48	59270	3.6 - 7.8
1997-2005	KDX 220	36475**	.38,.40,.42,.44,.46,.48	59270	3.6 - 7.8
2003-2004	KDX 400	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265	3.6-7.4
2002-2008	KLX 110	23445	.50, .60	48143	300#, 380#
<i>SPECIFY YEAR</i>					
2002-2003	KLX 125	21596	STRAIGHT RATE .42, .44	51267	CALL
2007	KLX 250	38470**	CALL FOR RATE		
1994-2008	KLX 300	39462*	SPECIAL ORDER ONLY	59270	3.6-7.8
2003-2004	KLX 400	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52, .54	59270	3.6-7.8
2008	KLR 650	33365**	CALL FOR RATES- NEW ITEM		
2008	KXF 450	ATV	CALL FOR INFO	ATV	

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
	KTM		ALL XC AND SX ABOVE 200 CC USE THE 43485 FORK SPRINGS		
			ALL XCW, XCRW, XCWE ABOVE 200CC USE THE 43510 FORK SPRINGS		
1999-2008	50 MINI ADV	24380	.24, .26, .28	46130	3.2-6.4
1999-2008	50 SX JR/SR	24380	.24, .26, .28	46130	3.2-6.4
2002-2008	65 SX (XC)	30382	.24,.26,.28,.30,.32,.34,.36,.38	46212	3.1-5.8
1999-2001	65 SX	24380	.24, .26, .28	46212	3.1-5.8
			<i>have variable rate shock springs available</i>		
2004-2008	85 SX (XC)	38425	.24, .26, .28, .30, .32, .34, .36, .38	60238	3.0 - 6.0
2004-2008	105 SX	38425	.24, .26, .28, .30, .32, .34, .36, .38	60238	3.0 - 6.0
2008	105 XC	38425	.24, .26, .28, .30, .32, .34, .36, .39	60238	3.0 - 6.0
			<i>have variable rate shock springs available - *2006 is a different length</i>		
2007-2008	125 XCW	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .53	62260**	5.0-12.3
2003-2006	125 EXC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
1999-2002	125 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2007-2008	125 SX	43457**	.36, .38, .40, .42, .44, .46, .48, .50	62260**	5.0-12.4
2002-2006	125 SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-2001	125 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
1999	125 SX	44460	SPECIAL ORDER ONLY	62260**	5.0-12.4
2007-2008	144 SX	43457**	.36, .38, .40, .42, .44, .46, .48, .50	62260**	5.0-12.4
2003-2005	200 EXC/MXC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
1999-2002	200 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2007-2008	200 XC(W)	43457**	.36, .38, .40, .42, .44, .46, .48, .50	62260**	5.0-12.4
2006	200 XC-W&XC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2005	200 SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2008	250 XC/SX /SXF	43485**	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2007	250 SX & SXF	43457**	.36, .38, .40, .42, .44, .46, .48, .50	62260**	5.0-12.4
2007	250 XC(W)	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2006	250 XC/SXF/SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2002-2006	250 SX	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-2001	250 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
1999	250 SX	44460	SPECIAL ORDER ONLY	62260**	5.0-12.4
2003-2005	250 EXC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-2002	250 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2008	300 XC & SX	43485**	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	62260**	5.0-12.4
2006-2007	300 XC-W & XC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2003-2005	300 EXC/MXC	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	62260**	5.0-12.4
2000-2002	300 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
1999	300 EXC/MXC	44460	SPECIAL ORDER ONLY	62260**	5.0-12.4

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
	KTM				
2000-01	380 EXC/MXC/SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2007	400 XCW	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2002	400 SX	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2000-01	400 SX/EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2001-2002	400 MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2001-2002	400 LC4 DS	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2008	450 SX-F	43485**	.34,.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2008	450 XCW/XCRW/XCF	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2007	450 SXF	43457**	.36,.38,.40,.42,.44,.46,.48,.50	62260**	5.0-12.4
2006-2007	450 XC-W	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2003-2007	450 EXC (RAC)	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2003-2005	450 MXC RAC	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2003-2006	450 SX	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2000-2002	520 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2000-2001	520 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2001-2002	520 MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2008	505 XC-F/SX-F	43485**	.34,.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2007	505 SX-F	43457**	.36,.38,.40,.42,.44,.46,.48,.50	62260**	5.0-12.4
2008					
2006-2007	525 XC-W&XC	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2003-2005	525 EXC RAC	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2003-2005	525 MXC RAC	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2003-2006	525 SX	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2008	530 EXC-R	43485**	.34,.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
2008	530 XCRW & XCW	43510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260**	5.0-12.4
2008	560 SMR	43485**	.34,.36,.38,.40,.42,.44,.46,.48,.50,.52	62260**	5.0-12.4
**WE HAVE THE PROGRESSIVE RATE AND STRAIGHT RATE SHOCK SPRINGS FOR THE PDS TYPE SHOCK					
VARIABLE RATES: -XLight, -XXLight, -Lights, -0, -1, -3, -4, -5, -7, -8, -10, -11, -12 and P20C, P25C					

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
	KTM				
2003-2006	640 LC4 ADVR	43485**	.38, .40, .42, .44, .46, .48, .50, .52	CALL	
1999-2002	640 LC4 ADVR	44460*	SPECIAL ORDER ONLY	CALL	
2001-2004	640 LC4 DS	38510	.36, .38, .40, .42, .44, .46, .48, .50, .52	CALL	
1999-2000	640 LC4 DS	44460*	SPECIAL ORDER ONLY	CALL	
1999-2004	640 LC4 D II	CALL	SPECIAL ORDER ONLY	CALL	
2008	690 SM	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	PENDING	
2008	690 SMC & SMR	43485**	.38, .40, .42, .44, .46, .48, .50, .52	PENDING	
2008	950 SM	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	PENDING	
2007-2008	950 Super Enduro	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	PENDING	
2004-2006	950 ADV	43485**	.38, .40, .42, .44, .46, .48, .50, .52	CALL	
2007-2008	990 ADV	43465**	CALL FOR YOUR RATE	PENDING	
2008	450 XC ATV	1 7/8 X 11***	CALL	62260 W/KYB COLLAR	
2008	525 XC ATV	1 7/8 X 11***	CALL	62260 W/KYB COLLAR	
Variable:-0		-0 (6.5-8.5) Variable Rate Shock Spring for PDS Style Shock			
Variable:-1		-1 (7.0-9.0) Variable Rate Shock Spring for PDS Style Shock			
Variable:-10		-10 (8.5-11.5) Variable Rate Shock Spring for PDS Style Shock			
Variable:-11		-11 (9.5-12.0) Variable Rate Shock Spring for PDS Style Shock			
Variable:-12		-12 (10.0-13.0) Variable Rate Shock Spring for PDS Style Shock			
Variable:-3		-3 (8.0-10.3) Variable Rate Shock Spring for PDS Style Shock			
Variable:-4		-4 (8.5-11.0) Variable Rate Shock Spring for PDS Style Shock			
Variable:-5		-5 (6.6-8.6) Variable Rate Shock Spring for PDS Style Shock			
Variable:-6		-6 (7.0-9.0) Variable Rate Shock Spring for PDS Style Shock			
Variable:-7		-7 (7.6-9.6) Variable Rate Shock Spring for PDS Style Shock			
Variable:-8		-8 (8.0-10.0) Variable Rate Shock Spring for PDS Style Shock			
Variable:-Light		-Light(5.8-7.4) Variable Rate Shock Spring for PDS Style Shock			
Variable:-XLight		-XLight 62260 (4.8-6.6) kg Variable Shock Spring for the PDS Style Shock			
Variable:-XXLight		-XXLight 62260 (4.0-6.0) kg Variable Shock Spring for PDS Style Shock			
Variable:P20C		P20C Variable PDS Style Shock Spring (8.0 - 13.4)			
Variable:p25c		P25C - PDS Style Variable Rate Shock Spring (8.9 - 14.8)			

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
	SUZUKI				
2006-2008	DRZ 125	21596	.42, .44	50270*	CALL
2003	DRZ 125	21596	STRAIGHT RATE .42, .44	51267	CALL
1999-2001	DR 200SE	CALL	SPECIAL ORDER ONLY	CALL	
ALL	DR 350 (S)(SE)	CALL	SPECIAL ORDER ONLY <i>MAY BE ABLE TO USE 37505</i>	55273	CALL
2006-2008	DRZ 400 SM	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
2001-2008	DRZ 400	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54	67265	3.6-7.4
1999-2000	DRZ 400	44510	SPECIAL ORDER ONLY	67265	3.6-7.4
2000-2008	DRZ 400 E, S	43510	.36, .38, .40, .42, .44, .46, .48, .50, .52, .54 <i>OR ORDER 43572-VERIFY LENGTH</i>	67265	3.6-7.4
1999-2001	DR 650SE	37505	.42, .44, .46, .48, .50 <i>OR ORDER TO LENGTH-VERIFY</i>	CALL	
2003-2005	RM 65	27500	.24, .26, .28, .30, .32, .34, .36	46212	3.2-5.8
2005-2008	RM 80/85 (L)	32448	.22 - .50 EVEN RATES**	55240	3.2 - 7.6
2002-2004	RM 80/85 (L)	32448	.22 - .50 EVEN RATES**	52250	3.4-6.2
1989-2001	RM 80	28560	.24,.26,.28,.30,.34,.36,.38	52250	3.4-6.2
2002-2003	RM 100	31428	.24,.26,.28,.30,.32,.34,.36, .38	55240	3.2 - 7.6
2004-2008	RM 125	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
2002-2003	RM 125	43478**	SPECIAL ORDER ONLY	67265	3.6-7.4
2001	RM 125	43472**	SPECIAL ORDER ONLY	67265	3.6-7.4
1998-2000	RM 125	44460*	SPECIAL ORDER ONLY	67265	3.6-7.4
2004-2008	RM 250	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6-7.4
2003	RM 250	41460	.34,.36,.38,.40,.42,.44,.46,.48,.50,.52	59270	3.6 - 7.8
2001-2002	RM 250	41470	.32 - .54 EVEN RATES	59270	3.6 - 7.8
1999-2000	RM 250	44460*	SPECIAL ORDER ONLY	67265	3.6-7.4
1998	RM 250	42.4x470*	SPECIAL ORDER ONLY	call	call
2007-2008	RM Z 250	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4
2004-2006	RM Z 250	43461	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2005-2008	RM Z 450	43495	.36, .38, .40, .42, .44, .46, .48, .50, .52	67265	3.6 - 7.4

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
	YAMAHA				
2001-2008	PW 50	CALL	CALL FOR RATES	21172	CALL
		FORK IS A 22mm TELESCOPIC STYLE		25#INCREMENTS	
2001-2008	PW 80	17425	CALL FOR RATES	38168	CALL
2005-2008	WRF'S	43461	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2003-2004	WR 450F	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2001-2002	WR 426F	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
1998-2000	WR 400F	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2002-2008	YZ 85	31428	.24, .26, .28, .30, .32, .34, .36, .38	55225	3.4-5.8
1993-2001	YZ 80	31428	.24, .26, .28, .30, .32, .34, .36, .38	55225	3.4-5.8
2006-2008	YZ 125	44453	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2005	YZ 125	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 125	44480	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
1996-2003	YZ 125	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2006-2008	YZ 250	44453	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2005	YZ 250	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 250	44480	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
1996-2003	YZ 250	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2006-2008	YZ 250F	44453	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2005	YZ 250F	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 250F	44480	.36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2001-2003	YZ 250F	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2006-2008	YZ 450F	44453	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2005	YZ 450F	44467	.36, .38, .40, .42, .44, .46, .48, .50	59270	3.6 - 7.8
2004	YZ 450F	44480	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
1998-2003	YZ 450F	41460	.34, .36, .38, .40, .42, .44, .46, .48, .50, .52	59270	3.6 - 7.8
2008	TTR 50	CALL	USES 22mm INVERTED FORKS		
2003-2006	TTR 90	18419	.40 - .46 (stock rate: .35)	38174	415#, 475#
2008	TTR 110	PENDING		PENDING	
2008	TTR 125	PENDING		PENDING	
2000-2007	TTR 125	22464	.40, .42, .44, .46-NO SPACER NEEDED	55184	***
			***STRAIGHT & VARIABLE RATES		
1999-2006	TTR 225	29595	.42, .44, .46, .48, .52	50196	***
			***STRAIGHT & VARIABLE RATES		
2005-2008	TTR 230	29614**	CALL FOR RATES	57210**	CALL
1999-2007	TTR250	36475**	.36, .38, .40, .42, .44, .46, .48	CALL	

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE

CANNON RACECRAFT APPLICATION CHART					
YEAR	MODEL	FK SPRG	RATES AVAILABLE	SHOCK SPRING	RATES AVAILABLE
SPECIAL AND MISCELLANEOUS ITEMS					
	I.C.S		INNER CHAMBER SPRINGS 1.0, 1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.4		
			SPECIFY BIKE AND YEAR FOR ACCURACY OF PART		
	LT 80		SST CLUTCH SPRINGS LEFT HAND & RIGHT HAND WOUND		
	MOTOGUZZI		SHIFTER SPRINGS		
	MARZOCCHI 45mm	40462**	Fork Springs for the 45mm Marzocchi Style Forks		
			1 7/8 x 10 springs in 5lb increments		
			1 7/8 X 8 springs in 5lb increments-limited rates		
	POLARIS	ATV	CALL FOR INFO		
	XR 50		CLUTCH SPRINGS		
	CR 80/85		CLUTCH SPRINGS		
	CR 125		SST CLUTCH SPRINGS		
	CRF 150R		SST CLUTCH SPRINGS		
	CR 250		SST CLUTCH SPRINGS		
	CRF 250R		SST CLUTCH SPRINGS		
	CRF 450		SST CLUTCH SPRINGS		
	TRX 450R		SST CLUTCH SPRINGS		
	TRX 450R(ER)	ATV	CALL FOR INFO		
	ACT 250 -3 WHEELER		BANSHEE STYLE FITS		
	PW 50		CLUTCH SPRINGS		
	KLX 110		CLUTCH SPRINGS		
	KX 125/KX 250F		SST CLUTCH SPRINGS		
	KX 450F		SST CLUTCH SPRINGS		
	KX 450F HD		SST HEAVY DUTY CLUTCH SPRINGS		
	LTZ	ATV	PENDING - CALL FOR INFO		
	RMZ 250F		SST CLUTCH SPRINGS		
	RMZ 250		SST CLUTCH SPRINGS		
	RMZ 450		SST CLUTCH SPRINGS		
	BANSHEE/WARRIOR	56235	CALL - EVEN RATES ONLY		
	YZ 250F		SST CLUTCH SPRINGS		
	YZ 250/450F		SST CLUTCH SPRINGS		
NEW APPLICATIONS ARE ADDED DAILY, CHECK WITH US FOR WHAT YOU ARE LOOKING FOR					
CALL US AT 405-524-RACE(7223) OR VISIT OUR WEBSITE: WWW.CANNONRACECRAFT.COM					
KTM (PDS) STYLE SHOCK SPRINGS ARE ORANGE - SOME WHITE. SIGNATURE SERIES SHOCK SPRINGS IN ORANGE POWDER COAT. MOST KYB AND SHOWA STYLE SHOCK SPRINGS AVAILABLE IN BLACK, RED OR YELLOW POWDER COAT. OTHER COLORS BY SPECIAL REQUEST.					

PART NUMBERS ARE SUBJECT TO CHANGES/CORRECTIONS AS NEEDED

Cannon RaceCraft Inc. spring dimensions

Fork And Shock Spring Mean Diameter x Mean Length

Tolerances are +/- .2 mm diameter for forks, +/- 1. mm dia. on shocks, +/- 2. mm length

Fork Part #	O.D. X Length
17403	17.1 X 403
17558	17.1 X 558
18419	17.4 X 419
21596	20.95 X 596
22464	22 X 464
23445	23 X 445
24380	24.3 X 380
27460	27 X 460
27500	27 X 500
27585	27 X 585
28560	28.3 X 560
29572	29 X 572
29595	29 X 595
30382	30 X 382
30597	30 X 597
31428	31.2 X 428
32448	32.2 X 448
34444	34.9 X 444
36475	35.8 X 475
38425	38 X 425
38510	37.7 X 510
39462	38.6 X 462
39505	38.8 X 505
40462	40.2 x 462
41460	41.2 X 460
41470	41.2 X 470
41485	41.2 X 485
43461	43.5 X 461
43472	43.1 X 472
43495	42.8 X 495
43510	43 X 505
43465	43.4 X 465
43457	43 X 457
43485	43 X 485
44453	43.9 x 453
44460	44.4 X 460
44467	43.6 X 467
44472	43.6 X 472
44480	43.6 X 480

Shock Spring #	I.D. X Length
21173	21.1 X 173
33120	32.5 X 120
35154	34.9 X 154
38168	38.0 X 168
38174	38.0 X 174
45134	45.3 X 134
46130	46.32 X 130
46212	45.75 X 212
48143	48.2 X 143
50196	50.38 X 196
51267	50.8 X 267
51290	51.0 X 290
52250	45.4 X 51.7 X 250
54288	53.5 X 50.5 X 288
55184	55.03 X 184
55225	55 X 225
55240	55 X 240
57190	57 X 190
59216	59 X 216
59270	59.4 X 61 X 270 "+1.8mm
59275	59 x 275
60238	60 X 238
60260	60 x 260
62247	61.5 X 56 X 247
62260	62.18 X 260 "+ 1.2mm
64220	63.5 X 59.5 X 220
67265	64 X 66.6 X 265

PART NUMBERS ARE SUGGESTIONS ONLY

Cannon RaceCraft Inc., it's employees, and associates do not imply written or oral that any spring is a "Kayaba", "KYB", "Showa", "KTM", "PDS", "Honda", "CR", "XR", "Kawasaki", "KX", "Yamaha", "YZ", "TTR", "WR", "WRF", "Suzuki", "RM", "DR", "DRZ". We strive to make springs to fit these applications based on market information.