

CANNON RACECRAFT APPLICATION CHART				
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING
ALL SPRINGS BY EVEN RATES-OTHER RATES BY SPECIAL ORDER				
<b>HONDA</b>				
1996-2001	CR 80R/RB EXP	32448	.22-.50 EVEN RATES	55240
2002-2014	CR 85R/RB EXP	32448	.22-.50 EVEN RATES	55240
08-09,2011	CRF 80F	17558	NEED CONFIRMATION	NEED CONFIRMATION
04-09,2011	CRF 110F	17558	SPECIAL	45134
2001-2007	CR 125R	41485	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
1997-2000	CR 125R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
07-09,12-16	CRF 150R/RB EXP	32448	.22-.50 EVEN RATES	55240
2003-2009	CRF 150F	27585	SPECIAL	54288
2003-2009	CRF 230F	30597	.40,.42,.44,.46,.48	51290
2014-2016	CRF 250R	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	67250
2010-2013	CRF 250R	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265
2004-2016	CRF 250X	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265
2000-2009	CR 250R/ CRF 250R	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265
1997-1999	CR 250R	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
1996	CR 250R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2013-2016	CRF 450R	AIR	N/A	64258
2009-2012	CRF 450R	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	64258
2002-2008	CRF 450R	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265
05-09 12-16	CRF 450X	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265
1996-2001	CR 500R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1997-2003	XR 70	17403	SPECIAL	35154
2002-2003	XR 100R	17558	SPECIAL	45134
1999-2003	XR 200R	29595	.42,.44,.46,.48,.50,.52	NEED CONFIRMATION
1996-2004	XR 250R	34444	.36,.38,.40,.42,.44,.46,.48,.50,.52	57190
2000-2004	XR 400R	37537	SPECIAL	<b>CHECK FOR RECOMMENDATION</b> 64220
1996-1999	XR 400R	37505	.42,.44,.46,.48,.50,.52,.54	64220
1996-2000	XR 600R	36574	SPECIAL	64220
2000-2007	XR 650R	39505	.44,.46,.48,.50,.52	62247
1993-2009	XR 650L	37505	.42,.44,.46,.48,.50,.52,.54	64220
	<b>SPECIFY LENGTH DESIRED</b>		2006 IS 556 LENGTH	
			1996 IS 572 LENGTH	
			2007-2008 ARE 551 LENGTH	
<b>CANNON RACECRAFT APPLICATION CHART</b>				
YEAR	MODEL	FORK	RATES AVAILABLE	SHOCK SPRING

YEAR	MODEL	SPRING	RATES AVAILABLE	SHOCK SPRING
<b>KAWASAKI</b>				
1983-2003	KX 60	24485	SPECIAL	NEED CONF
2002-2016	KX 65	27500	.24,.26,.28,.30,.32,.34,.36	46212
CAN NOT USE WITH RACE TECH EMULATORS. MAY HAVE TO REMOVE ADJUSTABLE REBOUN				
2000-2001	KX 65	27455	SPECIAL	46212
1992-2000	KX 80	31428	.24,.26,.28,.30,.32,.34,.36,.38	55240
2001-2016	KX 85	31428	.24,.26,.28,.30,.32,.34,.36,.38	55240
1995-2016	KX 100	31428	.24,.26,.28,.30,.32,.34,.36,.38	55240
2003-2007	KX 125	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2002	KX 125	43472	SPECIAL	59270
1996-2001	KX 125	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2013-2016	KX 250F	44664	.90 .92 .94 .96 .98 1.0 1.02 1.04	67265
2011-2012	KX 250F	43743	.86 .88 .90 .92 .94 .96 .98 1.0 1.02	67265
2006-2010	KX 250F	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265
2004-2005	KX 250F (4 STR)	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2005-2007	KX 250 (2 STR)	44467	.36,.38,.40,.42,.46,.48,.50	59270
2003-2004	KX 250	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2002	KX 250	43472	SPECIAL	59270
1996-2001	KX 250	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2015-2016	KX 450F	AIR	N/A	67265
2013-2014	KX 450F	AIR	N/A	64258
2009-2012	KX 450F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	64258
2007-2008	KX 450F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2006	KX 450F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1997-2004	KX 500	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1991-1993	KX 500	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
1993-2006	KDX 200	36475	SPECIAL	59270
1997-2005	KDX 220	36475	SPECIAL	59270
2003-2007	KDX 400	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265
2002-2012	KLX 110	23445	SPECIAL	48143
2002-2003	KLX 125	21596	SPECIAL	51267
2006-2008	KLX 250	38470	MADE TO ORDER: .36-.52	5661257
2009-2012	KLX 250S/SF	38416	SPECIAL	5661257
1994-2008	KLX 300	39462	MADE TO ORDER: .36-.52	59270
2003-2004	KLX 400	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2008-2010	KLX 450/KLX 450R	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2008-2009	KLR 650	33365	MADE TO ORDER: .36-.52	56250
1995-2007	KLR 650	30550	SPECIAL	55240
<b>CANNON RACECRAFT APPLICATION CHART</b>				
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING
<b>KTM</b>				

2012-2014	50 SX	30338	.16,.18,.20,.22,.24	46130J/46130S
2011	50 JR/SR	26355	SPECIAL	<b>46130J(46x42x130)</b>
1999-2010	50 SX JR/SR,MINI ADV.	24380	SPECIAL	46130
2012-2014	65 SX	30370	.26,.28,.30,.32,.34,.36,.38	46212
2002-2011	65 SX/XC	30382	.26,.28,.30,.32,.34,.36,.38	46212
1999-2001	65 SX	24380	SPECIAL	46212
2012-2016	85 SX	38425	.26,.28,.30,.32,.34,.36,.38-.46	60215
2004-2011	85 SX/XC	38425	.26,.28,.30,.32,.34,.36,.38-.46	60238
2004-2011	105 SX/XC	38425	.26,.28,.30,.32,.34,.36,.38-.46	60238
2016	125 SX	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	<b>62250</b>
2008-2015	125 SX	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2007	125 SX	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2002-2006	125 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
1999-2001	125 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2013-2016	125 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2006	125 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
1999-2002	125 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2007-2008	125 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2016	150 XC	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	<b>62250</b>
2014-2015	150 XC	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2009-2013	150 XC	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2016	150 SX	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	<b>62250</b>
2009-2015	150 SX	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2006-2016	200 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2005	200 EXC/MXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
1999-2002	200 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2008-2010	200 XC	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2006-2007	200 XC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2005	200 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2015-2016	250 SX/SX-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62250
2008-2014	250 SX/SX-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2007	250 SX/SX-F	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2002-2006	250 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2000-2001	250 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2008-2014	250 XCF-W/XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54,	62260
2016	250 XC/XC-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	<b>62250</b>
2014-2015	250 XC/XC-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008-2013	250 XC/XC-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2007	250 XC/XC-F/XCF-W/XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2006-2007	250 XC/SX-F/SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
1999,03-05	250 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2000-2002	250 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
<b>CANNON RACECRAFT APPLICATION CHART</b>				
<b>YEAR</b>	<b>MODEL</b>	<b>FORK SPRING</b>	<b>RATES AVAILABLE</b>	<b>SHOCK SPRING</b>
<b>KTM</b>				
2013-2016	250/300 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2006-2016	300 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260

2014	300 XC	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008-2013	300 XC	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2006-2007	300 XC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2005	300 EXC/MXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2000-2002	300 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2012-2016	350 EXC-F/XCF-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2016	350 SX-F / XC-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	<b>62250</b>
2011-2015	350 SX-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2014	350 XC-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2011-2013	350 XC-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2013-2014	350 EXC-F SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2000-2001	380 EXC/MXC/SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
07,09-10	400 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2002	400 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2000-2001	400 SX/EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2001-2002	400 LC4 DUAL SPORT	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2016	450 XC-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	<b>62250</b>
2014-2015	450 XC-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008-2013	450 XC-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2016	450 SX-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	<b>62250</b>
2008-2015	450 SX-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2007	450 SX-F	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2003-2006	450 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2006-2016	450 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2009-2011	450 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008	450 XCR-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2014	450 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2007	450 EXC (RAC)	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2005	450 MXC (RAC)	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2012-2016	500 XC-W/EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2013-2016	500 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008-2009	505 XC-F/SX-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2000-2002	520 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2002	520 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2000-2001	520 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2001-2002	520 MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2006-2007	525 XC-W/XC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
<b>CANNON RACECRAFT APPLICATION CHART</b>				
<b>YEAR</b>	<b>MODEL</b>	<b>FORK SPRING</b>	<b>RATES AVAILABLE</b>	<b>SHOCK SPRING</b>
<b>KTM</b>				
2006	525 EXC-G RACING	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2006	525 XC-G RACING	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2006	525 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2005	525 EXC RACING	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260

2003-2005	525 MXC RACING	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2009-2011	530 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008-2011	530 EXC-R	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008-2010	530 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008-2010	530 XCR-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008	560 SMR	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2006	640 LC4 ADVENTURE	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59250
2002	640 LC4 ADVENTURE	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59250
	<b>SPECIFY DIMENSIONS</b>	44460	SPECIAL	59250
1999-2001	640 LC4 ADVENTURE	44460	SPECIAL	59250
2001-2004	640 LC4 DUAL SPORT	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	59250
1999-2000	640 LC4 DUAL SPORT	44460	SPECIAL	59250
1999-2004	640 LC4 DUKE II	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	59250
2012-2013	690 ENDURO R	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	61220
2008-2011	690 ENDURO R	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	61220
2008-2010	690 SMC/SMR	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	61220
2009	690 DUKE	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	61220
2008	690 ENDURO	43465	.38-.70 EVEN RATES	61220
2008	690 SM	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	61220
2009	950 S	43465	.38-.70 EVEN RATES	62225
2007-2008	950 SM	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	
2007-2008	950 SUPER ENDURO	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	
2004-2006	950 ADVENTURE	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	
09,11-12	990 ADVENTURE R	43465	.38-.70 EVEN RATES	62225
2007-2010	990 ADVENTURE S	43465	.38-.70 EVEN RATES	62225
2013	990 SMT		NEED CONFIRMATION	

**NOTE: ALL ITEMS ARE SUBJECT TO CHANGE/CORRECTION-NOT GUARANTEED TO BE CO NUMBERS. PLEASE VERIFY SPRING DIMENSIONS ON ALL ITEMS**

**CANNON RACECRAFT APPLICATION CHART**

**KTM VARIABLES**

**FORK SPRINGS**

**OVER 8" TRANSITION**

**PLEASE SPECIFY BIKE AND/OR LENGTH DESIRED**

**RATES AVAILABLE**

43505, 43485	FS: .36-.42	VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485	FS: .38-.43	VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485	FS: .38-.46	VARIABLE RATE FORK SPRINGS FOR WP STYL

43505, 43485	FS: .40-.45	VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485	FS: .40-.48	VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485	FS: .42-.50	VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485	FS: .45-.50	VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485	FS: .46-.54	VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485	FS: .48-.56	VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485	FS: .50-.58	VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485	FS: .53-.58	VARIABLE RATE FORK SPRINGS FOR WP STYL
<b>SHOCK SPRINGS</b>		
60215, 60238	3.2-4.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 8
60215, 60238	3.6-4.6	VARIABLE RATE SHOCK SPRINGS FOR KTM 8
60215, 60238	4.0-5.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 8
46212	3.0-4.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 6
46212	3.2-5.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 6
46212	3.5-5.2	VARIABLE RATE SHOCK SPRINGS FOR KTM 6
46212	3.6-4.6	VARIABLE RATE SHOCK SPRINGS FOR KTM 6
46212	3.8-5.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 6
46212	3.8-6.0	VARIABLE RATE SHOCK SPRINGS FOR KTM 6
VARIABLE: -2	6.0-8.0	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -5	6.6-8.6	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -6	7.0-9.0	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -7	7.6-9.6	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -8	8.0-10.0	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -10	8.5-11.5	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -11	9.5-12.0	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -12	10.0-13.0	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -13	11.0-14.0	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -14	11.0-17.0	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -LIGHT	5.8-7.4	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -X-LIGHT	4.8-6.6	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -XX-LIGHT	4.0-6.0	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: P20C	8.0-13.4	VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: P25C	8.9-14.8	VARIABLE RATE SHOCK SPRING FOR PDS STYL

**CANNON RACECRAFT APPLICATION CHART**

YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING
<b>SUZUKI</b>				
2006-2009	DRZ 125	21596	SPECIAL	NEED CONFIRMATION
2003	DRZ 125	21596	SPECIAL	51267
1999-2001	DR 200SE		NEED CONFIRMATION	NEED CONFIRMATION
ALL	DR 350S/SE		NEED CONFIRMATION	55273
			MAY USE 37505	

2000-2016	DRZ 400E/S	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265
	<b>SPECIFY LENGTH</b>	43572	SPECIAL	
	<b>DESIRED</b>			
2005-2009	DRZ 400SM	43450	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265
2001-2008	DRZ 400	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265
1999-2000	DRZ 400	44510	SPECIAL	67265
1999-2011	DR 650SE	37505	.42,.44,.46,.48,.50,.52,.54	5661257
	<b>SPECIFY LENGTH</b>	37550	SPECIAL	
	<b>DESIRED</b>			
2003-2006	RM 65	27500	.24,.26,.28,.30,.32,.34,.36	46212
1989-2001	RM 80	28560	SPECIAL	52250
2005-2016	RM 85	32448	.22-.50 EVEN RATES	55240
2002-2004	RM 85	32448	.22-.50 EVEN RATES	52250
2007-2014	RM 85L	32448	.22-.50 EVEN RATES	55240
2002-2006	RM 100	31428	.24,.26,.28,.30,.32,.34,.36,.38	55240
2004-2008	RM 125	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265
2002-2003	RM 125	43478	SPECIAL	67265
2001	RM 125	43472	SPECIAL	67265
1998-2000	RM 125	44460	SPECIAL	67265
2004-2009	RM 250	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265
2003	RM 250	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2001-2002	RM 250	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1999-2000	RM 250	44460	SPECIAL	67265
1998	RM 250	42.4 x 470	SPECIAL	67265
2013-2016	RMZ 250	44664	.90 .92 .94 .96 .98 1.0 1.02 1.04	67265
2007-2012	RMZ 250	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265
2004-2006	RMZ 250	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2013-2014	RMZ 450	44664	.90 .92 .94 .96 .98 1.0 1.02 1.04	67265
2005-2012	RMZ 450	43495	.36,.38,.40,.42,.44,.46,.48,.50,.52	67265
<b>CANNON RACECRAFT APPLICATION CHART</b>				
<b>YEAR</b>	<b>MODEL</b>	<b>FORK SPRING</b>	<b>RATES AVAILABLE</b>	<b>SHOCK SPRING</b>
<b>YAMAHA</b>				
2001-2009	PW 50		NEED CONFIRMATION	21173
2001-2008	PW 80	17425	SPECIAL	38168
1992-1993	WR 200	36475	.38,.40,.42,.44,.46,.48	59270
05,'07-'12	WR 250F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2001-2004	WR 250F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2008-2014	WR 250R	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	63.5 x 203
2008-2011	WR 250X	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	63.5 x 203
2008	WR250/WR25RXL	42451	SPECIAL	5862225
2007	WR250/WR25RXL	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	NEED CONF
1998-2000	WR 400F/YZ 400	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270

2000-2002	WR 426F/YZ 426	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2012-2014	WR 450F	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	5961245
2005-2011	WR 450F	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2003-2004	WR 450F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
1993-2001	YZ 80	31428	.24,.26,.28,.30,.32,.34,.36,.38	55225
1999-2016	YZ 85	31428	.24,.26,.28,.30,.32,.34,.36,.38	55225
2006-2014	YZ 125	44453	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2005	YZ 125	44467	.36,.38,.40,.42,.44,.46,.48,.50	59270
2004	YZ 125	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1996-2003	YZ 125	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2006-2016	YZ 250	44453	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2005	YZ 250/250F	44467	.36,.38,.40,.42,.44,.46,.48,.50	59270
2004	YZ 250/250F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1996-2003	YZ 250	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2015-2016	YZ 250F	44497	.36,.38,.40,.42,.44,.46,.48,.50,.52	64258
2014	YZ 250F	44497	.36,.38,.40,.42,.44,.46,.48,.50,.52	64275
2006-2013	YZ 250F	44453	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2001-2003	YZ 250F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2015-2016	YZ450F	44497	.36,.38,.40,.42,.44,.46,.48,.50,.52	64258
2014	YZ 450F	44497	.36,.38,.40,.42,.44,.46,.48,.50,.52	64275
2010-2013	YZ 450F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	64258
2006-2009	YZ 450F	44453	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2005	YZ 450F	44467	.36,.38,.40,.42,.44,.46,.48,.50	59270
2004	YZ 450F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1998-2003	YZ 450F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52	59270
2003-2006	TTR 90	18419	SPECIAL	38174
2000-2007	TTR 125	22464	SPECIAL	55184
1999-2006	TTR 225	29595	SPECIAL	50196
2005-2012	TTR 230	29614	SPECIAL	57210
1999-2007	TTR 250	36475	SPECIAL	59270
<b>CANNON RACECRAFT APPLICATION CHART</b>				
<b>MISCELLANEOUS</b>				
<b>INNER CHAMBER SPRINGS</b>				
I.C.S.	KYB: 106MM	STRAIGHT RATES: 1.0, 1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.4		
	SHOWA: 100MM	VARIABLE RATES: 1.2-2.2, 1.4-2.4, 1.8-2.8		
<b>MOTOGUZZI</b>		<b>SHIFTER SPRINGS</b>		
<b>MARZOCCHI</b>	45MM	40462	.36,.38,.40,.42,.44,.46,.48,.50,.52	
	48MM	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52	
	50MM	46450	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	UPSIDE DOWN-O
	50MM	46465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	SHIVER-SEALED
<b>OHLINS</b>	48MM	43.8 x 465	SPECIAL	
<b>SACHS</b>	48MM	44467	.36,.38,.40,.42,.44,.46,.48,.50	
<b>OHLINS</b>		59275	4.6-7.6	
<b>SACHS</b>		60260	4.4-8.6	
<b>BANSHEE</b>		56235	5.8-9.6	
<b>HUSQVARNA</b>				

2010 TE 310, WR 125 AND THE SM USE THE 50MM MARZOCCHI'S

2010 KAYABA TWIN CHAMBER (OPEN) CAN USE THE 455

2010 KAYABA CLOSED CHAMBER CAN USE THE 43461

**CLUTCH SPRINGS**

<b>HONDA</b>	1987-2007	CR 80/85	.834 OD x 1.555 FL
	07-09,12-14	CRF 150R	.848 OD x 1.845 FL
	2010-2013	CRF 250R	.726 OD x 1.99 FL
	2004-2009	CRF 250R	.712 OD x 1.663 FL
	2013-2014	CRF 450R	.73 OD x 2.2 FL
	2009-2012	CRF 450R	.74 OD x 2.1 FL
	02-03,06-08	CRF 450R	0.732 OD x 2.055 FL
<b>KAWASAKI</b>	2006-2014	KX 250F	.705 OD x 2.065 FL
	2006-2014	KX 450F	.785 OD x 2.03 FL
	2006-2014	KX 450F HD	.785 OD x 1.9 FL
<b>KTM</b>	2014	50SX SR	.545 OD x .660 FL
	2009-2012	50 SX/SXS SR	.74 OD x 1.145 FL
	2009-2014	65 SX	.720 OD x .95 FL
	2003-2014	85 SX/105 SX	.577 OD x 1.55 FL
	2006-2012	250 SX/XC/XC-W	.702 OD x 1.48 FL
	2006-2012	250 SX-F/XC-F/XC-W	.703 OD x 1.7 FL
	2011-2012	350 SX-F/XC-F	.728 OD x 1.8 FL
<b>SUZUKI</b>	2005-2014	RMZ 250	.705 OD x 2.065 FL
	2008-2014	RMZ 450	.735 OD x 2.2 FL
<b>YAMAHA</b>	1981-2013	PW 50	32# & 40#
	2008-2013	YZ 250F	.67 OD x 1.7 FL
	2001-2007	YZ 250F	.675 OD x 1.825 FL
	2006-2013	YZ 450F	.67 OD x 2.14 FL

CANNON RACECRAFT CLUTCH SPRINGS ARE MADE OUT OF 17-7 STAINLESS STEEL TO WITHSTAND HIGHER HEAT. THIS IS NOT A "SACK" OR TAKE A SET, THEREFORE WE CAN GUARANTEE THEM FOR LIFE. THEY ARE DESIGNED AT AN APPROXIMATE 20% STOCK FOR EASIER PULL ON THE CLUTCH HANDLE BUT A LONGER FREE LENGTH TO GIVE APPROXIMATELY 10-20% HIGHER TENSION. THIS GIVES THE PRESSURE PLATES A STRONGER ENGAGEMENT FORCE RESULTING IN LESS SLIPPAGE OF THE CLUTCH.

<b>RATES AVAILABLE</b>
3.2-7.6
3.2-7.6
FORMATION
SPECIAL
3.6-7.8
3.6-7.8
3.2-7.6
SPECIAL
SPECIAL
3.6-6.8
3.6-6.8
3.6-6.8
3.6-6.8
3.6-7.8
3.6-7.8
4.2-6.8
4.2-6.8
3.6-6.8
3.6-6.8
3.6-7.8
SPECIAL
SPECIAL
FORMATION
MTO:11.0-12.6
<b>DUCED END</b>
8.0-12.0
8.0-12.0
8.0-12.0
10.0-12.4
8.0-12.0
<b>RATES</b>

<b>AVAILABLE</b>
RMATION
3.2-6.6
ID RODS
3.2-6.6
3.2-7.6
3.2-7.6
3.2-7.6
3.6-7.8
3.6-7.8
3.6-7.8
3.6-6.8
3.6-6.8
3.6-6.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-6.8
4.2-6.8
4.2-6.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-6.8
SPECIAL
SPECIAL
6.0-8.4
6.0-8.4
3.6-7.8
3.6-7.8
3.6-7.8
SPECIAL
3.2-7.6
<b>RATES</b>
<b>AVAILABLE</b>



4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
3.4 - 5.8
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
3.4 - 5.8
4.2-10.0
4.2-10.0
3.4 -5.8
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
<b>RATES</b>
<b>AVAILABLE</b>
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0



LE FORKS
LE FORKS
LE FORKS
LE FORKS
LE FORKS
LE FORKS
LE FORKS
LE FORKS
5/105SX
5/105SX
5/105SX
5SX/KX65
5SX/KX65
5SX/KX65
5SX/KX65
5SX/KX65
5SX/KX65
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
LE SHOCK
<b>RATES</b>
<b>AVAILABLE</b>
RMATION
SPECIAL
RMATION
SPECIAL

3.6-6.8
3.6-6.8
3.6-6.8
3.6-6.8
6.0-8.4
3.2-6.6
SPECIAL
3.2-7.6
SPECIAL
3.2-7.6
3.2-7.6
3.6-6.8
3.6-6.8
3.6-6.8
3.6-6.8
3.6-6.8
3.6-7.8
3.6-7.8
3.6-6.8
3.6-6.8
3.6-6.8
3.6-6.8
3.6-7.8
3.6-6.8
3.6-6.8
<b>RATES</b>
<b>AVAILABLE</b>
SPECIAL
SPECIAL
3.6-7.8
3.6-7.8
3.6-7.8
SPECIAL
SPECIAL
SPECIAL
RMATION
3.6-7.8



4 TO A SET
5 TO A SET
5 TO A SET
5 TO A SET
6 TO A SET
4 TO A SET
6 TO A SET
5 TO A SET
5 TO A SET
5 TO A SET
6 TO A SET
3 TO A SET
6 TO A SET
5 TO A SET
6 TO A SET
5 TO A SET
6 TO A SET
5 TO A SET
6 TO A SET
2 TO A SET
5 TO A SET
5 TO A SET
6 TO A SET
S SO THEY WON'T LIGHTER RATE THAN R INSTALLED LOAD. LUTCHES.