



201 E. HILL ST.

OKLAHOMA CITY, OK 73105

PHONE: 405-524-7223 FAX: 405-524-2566
ORDERING@CANNONRACECRAFT.COM



2014

APPLICATION CHART*

IF YOU DO NOT SEE WHAT YOU WANT, CALL US! WE MAKE CUSTOM SPE

***CANNON RACECRAFT INC., OWNERS AND EMPLOYEES MAKE NO CLAIMS AS TO THE 100% AC
THE SUGGESTED APPLICATION INCLUDED IN THE CHART.**

ITEMS ARE ONLY SUGGESTIONS

**CANNON RACECRAFT INC. MAKES NO WARRANTIES EITHER EXPRESSED OR IMPLIED. WE SHAL
LIABLE FOR ANY LOSS, DAMAGE, INJURY, OR DEATH ARISING FROM THE USE OF OUR PRODU
ASSUMES ALL RESPONSIBILITY AND RISK. RACING CAN BE A DANGEROUS ACTIVITY.**



58

RINGS

CURACY OF

**LL NOT BE
ICT. USER**

.

CANNON RACECRAFT APPLICATION CHART				
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING
ALL SPRINGS BY EVEN RATES-OTHER RATES BY SPECIAL ORDER				
HONDA				
1996-2001	CR 80R/RB EXP	32448	.26-.50 EVEN RATES	55240
2002-2014	CR 85R/RB EXP	32448	.26-.50 EVEN RATES	55240
2001-2007	CR 125R	41485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1997-2000	CR 125R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2007-2021	CRF 150R/RB EXP	32448	.26-.50 EVEN RATES	55240
2003-2009	CRF 150F		SPECIAL VERIFY	
2003-2009	CRF 230F	30597	.40,.42,.44,.46,.48	
2018-2021	CRF250R	45470	.36 - .70 EVEN RATES	67240
2014-2016	CRF 250R	43461	.36 - .70 EVEN RATES	67250
2010-2013	CRF 250R	43461	.36 - .70 EVEN RATES	67265
2004-2016	CRF 250X	43495	.36 - .70 EVEN RATES	67265
2000-2009	CR 250R/ CRF 250R	43495	.36 - .70 EVEN RATES	67265
1997-1999	CR 250R	43495	.36 - .70 EVEN RATES	59270
1996	CR 250R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2017-2021	CRF 450R	45470	.36 - .70 EVEN RATES	67240
2013-2016	CRF 450R	AIR	N/A	64258
2009-2012	CRF 450R	43461	.36 - .70 EVEN RATES	64258
2002 - 2008	CRF 450R	43495	.36 - .70 EVEN RATES	67265
2005-2018	CRF450X	43495	.36 - .70 EVEN RATES	67265
1996- 2001	CR500R	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1996-2004	XR 250R	34444	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	
				CHECK FOR RE
2000-2004	XR 400R		SPECIAL VERIFY	64220
			CAN USE 37505 AND SPACER	
1996-1999	XR 400R	37505	.42,.44,.46,.48,.50,.52,.54	64220
			MAY NEED SPACER	
1996-2000	XR 600R		SPECIAL VERIFY	64220
			CAN USE 37505 AND SPACER	
2000-2007	XR 650R	39505	.42,.44,.46,.48,.50,.52,.54	62247
			2006 IS 556 LENGTH	
1993-2021	XR 650L	37505	.42,.44,.46,.48,.50,.52,.54	64220
	SPECIFY LENGTH DESIRED		SOME ARE 551 & 572	
CANNON RACECRAFT APPLICATION CHART				

YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING
KAWASAKI				
2002-2021	KX 65	27500	.24,.26,.28,.30,.32.34.36.38	46212
CAN NOT USE WITH RACE TECH EMULATORS. MAY HAVE TO REMOVE ADJUSTABLE REBOUND				
1992-2000	KX 80	31428	.24,.26,.28,.30,.32,.34,.36,.38.40	55240
2001-2021	KX 85	31428	.24,.26,.28,.30,.32,.34,.36,.38.40	55240
1995-2021	KX 100	31428	.24,.26,.28,.30,.32,.34,.36,.38.40	55240
2003-2007	KX 125	43461	.36,.38,.40,.42,.44,.46,.48,.50,.52.54	59270
2013-2020	KX 250F	44664	.84 .86 .88 .90 .92 .94 .96 .98 1.0 1.02 1.04	67265
2011-2012	KX 250F	43743	.86 .88 .90 .92 .94 .96 .98 1.0 1.02	67265
2006-2010	KX 250F	43495	.36-.70 EVEN RATES	67265
2004-2005	KX 250F (4 STR)	43461	.36-.70 EVEN RATES	59270
2020-2021	KX250	44497	.36 - .70 EVEN RATES	59270
2005-2007	KX 250 (2 STR)	44467	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2003-2004	KX 250	43461	.36-.70 EVEN RATES	59270
2002	KX 250		SPECIAL VERIFY	59270
1996-2001	KX 250	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2019-	KX450F	45470	.36 - .70 EVEN RATES	67240
2015-2018	KX 450F	AIR	N/A	67265
2013-2014	KX 450F	AIR	N/A	64258
2009-2012	KX 450F	44470	.36 - .70 EVEN RATES	64258
2007-2008	KX 450F	44470	.36 - .70 EVEN RATES	59270
2006	KX 450F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1997-2004	KX 500	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1991-1993	KX 500	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52.54	59270
1993-2006	KDX 200	36472	SPECIAL VERIFY	59270
1997-2005	KDX 220	36472	SPECIAL VERIFY	59270
2002-2012	KLX 110		SPECIAL VERIFY	48143
2002-2003	KLX 125		SPECIAL VERIFY	
2006-2008	KLX 250		SPECIAL VERIFY	5661257
2009-2012	KLX 250S/SF		SPECIAL VERIFY	5661257
1994-2008	KLX 300	39462	SPECIAL VERIFY	59270
2003-2004	KLX 400	43505	.36 - .70 EVEN RATES	59270
2008-2010	KLX 450/KLX 450R	43461	.36 - .70 EVEN RATES	59270
2008-2009	KLR 650		SPECIAL VERIFY	
1995-2007	KLR 650		SPECIAL VERIFY	55240
CANNON RACECRAFT APPLICATION CHART				
YEAR	MODEL	FORK	RATES AVAILABLE	SHOCK SPRING

YEAR	MODEL	SPRING	RATES AVAILABLE	SHOCK SPRING
KTM				
2012-2014	50 SX	30338	.16,.18,.20,.22,.24	46130J/46130S
2011	50 JR/SR		SPECIAL VERIFY	46130J(46x42x130)
1999-2010	50 SX JR/SR,MINI ADV.		SPECIAL VERIFY	46130
2012-2014	65 SX	30370	.26,.28,.30,.32,.34,.36,.38	46212
2002-2011	65 SX/XC	30382	.26,.28,.30,.32,.34,.36,.38	46212
1999-2001	65 SX		SPECIAL VERIFY	46212
2012-2016	85 SX	38425	.26,.28,.30,.32,.34,.36,.38,.40	60215
2004-2011	85 SX/XC	38425	.26,.28,.30,.32,.34,.36,.38,.40	60238
2004-2011	105 SX/XC	38425	.26,.28,.30,.32,.34,.36,.38,.40	60238
2016	125 SX	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62250
2008-2015	125 SX	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2007	125 SX	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2002-2006	125 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
1999-2001	125 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2013-2016	125 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2006	125 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
1999-2002	125 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2007-2008	125 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2016	150 XC	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62250
2014-2015	150 XC	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2009-2013	150 XC	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2016	150 SX	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62250
2009-2015	150 SX	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2006-2016	200 XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2005	200 EXC/MXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
1999-2002	200 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2008-2010	200 XC	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2006-2007	200 XC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2003-2005	200 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2015-2021	250 SX/SX-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008-2014	250 SX/SX-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2007	250 SX/SX-F	43457	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2002-2006	250 SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2000-2001	250 SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
2008-2014	250 XCF-W/XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54,	62260
2016	250 XC/XC-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62250
2014-2015	250 XC/XC-F	44470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008-2013	250 XC/XC-F	43485	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2007	250 XC/XC-F/XCF-W/XC-W	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2006-2007	250 XC/SX-F/SX	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
1999,03-05	250 EXC	43505	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2000-2002	250 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52	62260
CANNON RACECRAFT APPLICATION CHART				
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING

KTM				
2013-2016	250/300 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2006-2016	300 XC-W	43505	.36 - .70 EVEN RATES	62260
2014	300 XC	44470	.36 - .70 EVEN RATES	62260
2008-2013	300 XC	43485	.36 - .70 EVEN RATES	62260
2006-2007	300 XC	43505	.36 - .70 EVEN RATES	62260
2003-2005	300 EXC/MXC	43505	.36 - .70 EVEN RATES	62260
2000-2002	300 EXC/MXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2012-2016	350 EXC-F/XCF-W	43505	.36 - .70 EVEN RATES	62260
2016	350 SX-F /XC-F	44470	.36 - .70 EVEN RATES	62250
2011-2015	350 SX-F	43485	.36 - .70 EVEN RATES	62260
2014	350 XC-F	44470	.36 - .70 EVEN RATES	62260
2011-2013	350 XC-F	43485	.36 - .70 EVEN RATES	62260
2013-2014	350 EXC-F SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2000-2001	380 EXC/MXC/SX	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	62260
07,09-10	400 XC-W	43505	.36 - .70 EVEN RATES	62260
2002	400 SX	43505	.36 - .70 EVEN RATES	62260
2000-2001	400 SX/EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	62260
2001-2002	400 LC4 DUAL SPORT	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	62260
2016	450 XC-F	44470	.36 - .70 EVEN RATES	62250
2014-2015	450 XC-F	44470	.36 - .70 EVEN RATES	62260
2008-2013	450 XC-F	43485	.36 - .70 EVEN RATES	62260
2016	450 SX-F	44470	.36 - .70 EVEN RATES	62250
2008-2015	450 SX-F	43485	.36 - .70 EVEN RATES	62260
2007	450 SX-F	43457	.36 - .70 EVEN RATES	62260
2003-2006	450 SX	43505	.36 - .70 EVEN RATES	62260
2006-2016	450 XC-W	43505	.36 - .70 EVEN RATES	62260
2009-2011	450 EXC	43505	.36 - .70 EVEN RATES	62260
2014	450 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2012-2016	500 XC-W/EXC	43505	.36 - .70 EVEN RATES	62260
2013-2016	500 EXC SIX DAYS	44465	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	62260
2008-2009	505 XC-F/SX-F	43485	.36 - .70 EVEN RATES	62260
2000-2002	520 EXC	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	62260
2002	520 SX	43505	.36 - .70 EVEN RATES	62260
2006-2007	525 XC-W/XC	43505	.36 - .70 EVEN RATES	62260
CANNON RACECRAFT APPLICATION CHART				
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING
KTM				

2006	525 EXC-G RACING	43505	.36 -.70 EVEN RATES	62260
2006	525 XC-G RACING	43505	.36 -.70 EVEN RATES	62260
2009-2011	530 EXC	43505	.36 -.70 EVEN RATES	62260
2008-2010	530 XC-W	43505	.36 -.70 EVEN RATES	62260
2008	560 SMR	43485	.36 -.70 EVEN RATES	62260
2003-2006	640 LC4 ADVENTURE	43485	.36 -.70 EVEN RATES	
2001-2004	640 LC4 DUAL SPORT	38510	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	
2012-2013	690 ENDURO R	44470	.36 -.70 EVEN RATES	61220
2008-2011	690 ENDURO R	43485	.36 -.70 EVEN RATES	61220
2008-2010	690 SMC/SMR	43485	.36 -.70 EVEN RATES	61220
2009	690 DUKE	43485	.36 -.70 EVEN RATES	61220
2008	690 ENDURO	43465	.38 -.70 EVEN RATES	61220
2008	690 SM	43505	.36 -.70 EVEN RATES	61220
2009	950 S	43465	.38 -.70 EVEN RATES	62225
2007-2008	950 SM	43457	.36 -.70 EVEN RATES	
2007-2008	950 SUPER ENDURO	43457	.36 -.70 EVEN RATES	
2004-2006	950 ADVENTURE	43485	.36 -.70 EVEN RATES	
09,11-12	990 ADVENTURE R	43465	.38-.70 EVEN RATES	62225
2007-2010	990 ADVENTURE S	43465	.38-.70 EVEN RATES	62225

NOTE: ALL ITEMS ARE SUBJECT TO CHANGE/CORRECTION-NOT GUARANTEED TO BE CO NUMBERS. PLEASE VERIFY SPRING DIMENSIONS ON ALL ITEMS

CANNON RACECRAFT APPLICATION CHART

KTM VARIABLES

FORK SPRINGS

OVER 8" TRANSITION

PLEASE SPECIFY BIKE AND/OR LENGTH DESIRED

		RATES AVAILABLE		
43505, 43485		FS: .36-.42		VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485		FS: .38-.43		VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485		FS: .38-.46		VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485		FS: .40-.45		VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485		FS: .40-.48		VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485		FS: .42-.50		VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485		FS: .45-.50		VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485		FS: .46-.54		VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485		FS: .48-.56		VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485		FS: .50-.58		VARIABLE RATE FORK SPRINGS FOR WP STYL
43505, 43485		FS: .53-.58		VARIABLE RATE FORK SPRINGS FOR WP STYL
SHOCK SPRINGS				
60215, 60238		3.2-4.0		VARIABLE RATE SHOCK SPRINGS FOR KTM 83
60215, 60238		3.6-4.6		VARIABLE RATE SHOCK SPRINGS FOR KTM 83
60215, 60238		4.0-5.0		VARIABLE RATE SHOCK SPRINGS FOR KTM 83
46212		3.0-4.0		VARIABLE RATE SHOCK SPRINGS FOR KTM 65
46212		3.2-5.0		VARIABLE RATE SHOCK SPRINGS FOR KTM 65
46212		3.5-5.2		VARIABLE RATE SHOCK SPRINGS FOR KTM 65
46212		3.6-4.6		VARIABLE RATE SHOCK SPRINGS FOR KTM 65
46212		3.8-5.0		VARIABLE RATE SHOCK SPRINGS FOR KTM 65
46212		3.8-6.0		VARIABLE RATE SHOCK SPRINGS FOR KTM 65
VARIABLE: -2		6.0-8.0		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -5		6.6-8.6		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -6		7.0-9.0		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -7		7.6-9.6		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -8		8.0-10.0		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -10		8.5-11.5		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -11		9.5-12.0		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -12		10.0-13.0		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -13		11.0-14.0		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -14		11.0-17.0		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -LIGHT		5.8-7.4		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -X-LIGHT		4.8-6.6		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: -XX-LIGHT		4.0-6.0		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: P20C		8.0-13.4		VARIABLE RATE SHOCK SPRING FOR PDS STYL
VARIABLE: P25C		8.9-14.8		VARIABLE RATE SHOCK SPRING FOR PDS STYL
CANNON RACECRAFT APPLICATION CHART				
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING
SUZUKI				
2006-2009	DRZ 125		SPECIAL VERIFY	NEED CONF
2003	DRZ 125		SPECIAL VERIFY	

2000-2021	DRZ 400E/S	43505	.36 - .70 EVEN RATES	67265
	SPECIFY LENGTH DESIRED			
2005-2021	DRZ 400SM	43450	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	67265
2001-2008	DRZ 400	43505	.36 - .70 EVEN RATES	67265
1999-2018	DR 650SE	37505	.42,.44,.46,.48,.50,.52,.54	5661257
	SPECIFY LENGTH DESIRED			
2003-2006	RM 65	27500	.24,.26,.28,.30,.32,.34,.36 .38	46212
2005-2020	RM 85	32448	.22-.50 EVEN RATES	55240
2002-2004	RM 85	32448	.22-.50 EVEN RATES	
2007-2014	RM 85L	32448	.22-.50 EVEN RATES	55240
2002-2006	RM 100	31428	.24,.26,.28,.30,.32,.34,.36,.38 .40	55240
2004-2008	RM 125	43495	.36 - .70 EVEN RATES	67265
2004-2009	RM 250	43495	.36 - .70 EVEN RATES	67265
2003	RM 250	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270
2001-2002	RM 250	41470	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
2019-2021	RMZ250	44497	.36 - .70 EVEN RATES	67265
2016-2018	RMZ250	AIR		67265
2013-2015	RMZ 250	44664	.84 .86 .88 .90 .92 .94 .96 .98 1.0 1.02 1.04	67265
2007-2012	RMZ 250	43495	.36 - .70 EVEN RATES	67265
2004-2006	RMZ 250	43461	.36 - .70 EVEN RATES	59270
2018-2020	RMZ 450	45470	.36 - .70 EVEN RATES	67265
2015-2017	RMZ 450	AIR	N/A	67265
2013-2014	RMZ 450	44664	.84 .86 .88 .90 .92 .94 .96 .98 1.0 1.02 1.04	67265
2005-2012	RMZ 450	43495	.36 - .70 EVEN RATES	67265
CANNON RACECRAFT APPLICATION CHART				
YEAR	MODEL	FORK SPRING	RATES AVAILABLE	SHOCK SPRING
YAMAHA				
2001-2009	PW 50		NEED CONFIRMATION	

2005-2014	WR 250F	43461	.36 - .70 EVEN RATES	59270
2001-2004	WR 250F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270
2008-2018	WR 250R	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270
2007	WR250/WR25RXL	43461	.36 - .70 EVEN RATES	NEED CONFIRMATION
2005-2019	WR 450F	43461	.36 - .70 EVEN RATES	59270
2003-2004	WR 450F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52.54	59270
2018-2021	YZ 65	31334	.24 .26 .28 .30 .32 .34 .36 .38	55208
1993-2001	YZ 80	31428	.24,.26,.28,.30,.32,.34,.36,.38 .40	55225
1999-2021	YZ 85	31428	.24,.26,.28,.30,.32,.34,.36,.38 .40	55225
2006-2021	YZ 125	44453	.36 - .70 EVEN RATES	59270
2005	YZ 125	44467	.36,.38,.40,.42,.44,.46,.48,.50 .52 .54	59270
2004	YZ 125	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1996-2003	YZ 125	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270
2006-2021	YZ 250	44453	.36 - .70 EVEN RATES	59270
2005	YZ 250/250F	44467	.36,.38,.40,.42,.44,.46,.48,.50 .52 .54	59270
2004	YZ 250/250F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1996-2003	YZ 250	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270
2014-2021	YZ 250F	44497	.36 - .70 EVEN RATES	64258/64275
2006-2013	YZ 250F	44453	.36 - .70 EVEN RATES	59270
2001-2003	YZ 250F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270
2014-2021	YZ 450F	44497	.36 - .70 EVEN RATES	64258/64275
2010-2013	YZ 450F	44470	.36 - .70 EVEN RATES	64258
2006-2009	YZ 450F	44453	.36 - .70 EVEN RATES	59270
2005	YZ 450F	44467	.36,.38,.40,.42,.44,.46,.48,.50 .52 .54	59270
2004	YZ 450F	44480	.36,.38,.40,.42,.44,.46,.48,.50,.52,.54	59270
1998-2003	YZ 450F	41460	.36,.38,.40,.42,.44,.46,.48,.50,.52 .54	59270
2000-2007	TTR 125		SPECIAL VERIFY	
1999-2006	TTR 225		SPECIAL VERIFY	
2005-2012	TTR 230		SPECIAL VERIFY	
1999-2007	TTR 250		SPECIAL VERIFY	59270
CANNON RACECRAFT APPLICATION CHART				
MISCELLANEOUS				
INNER CHAMBER SPRINGS				
I.C.S.	KYB: 106MM	STRAIGHT RATES: 1.0, 1.2, 1.4, 1.6, 1.8, 2.0, 2.2, 2.4		
	SHOWA: 100MM	VARIABLE RATES: 1.2-2.2, 1.4-2.4, 1.8-2.8		
MOTOGUZZI		SHIFTER SPRINGS		
MARZOCCHI		45MM	40462	.36,.38,.40,.42,.44,.46,.48,50,.52
		48MM	44470	.36,.38,.40,.42,.44,.46,.48,50,.52

	50MM	46450	.36,.38,.40,.42,.44,.46,.48,50,.52,.54	UPSIDE DOWN-O
	50MM	46465	.36,.38,.40,.42,.44,.46,.48,50,.52,.54	SHIVER-SEALED
OHLINS	48MM	43.8 x 465	SPECIAL	
SACHS	48MM	4467/4346	.36,.38,.40,.42,.44,.46,.48,.50	
OHLINS		59275	4.6-7.6	
SACHS		60260	4.4-8.6	
BANSHEE		56235	5.8-9.6	
HUSQVARNA				
2010 TE 310, WR 125 AND THE SM USE THE 50MM MARZOCCHI'S				
2010 KAYABA TWIN CHAMBER (OPEN) CAN USE THE 455, CLOSED CHAMBER 43461				
CLUTCH SPRINGS				
HONDA	1987-2007	CR 80/85	.834 OD x 1.555 FL	
	07-09,12-16	CRF 150R	.848 OD x 1.845 FL	
	2010-2016	CRF 250R	.726 OD x 1.99 FL	
	2004-2009	CRF 250R	.712 OD x 1.663 FL	
	2013-2016	CRF 450R	.73 OD x 2.2 FL	
	2009-2012	CRF 450R	.74 OD x 2.1 FL	
	02-03,06-08	CRF 450R	0.732 OD x 2.055 FL	
KAWASAKI	2006-2016	KX 250F	.705 OD x 2.065 FL	
	2006-2016	KX 450F	.785 OD x 2.03 FL	
	2006-2016	KX 450F HD	.785 OD x 1.9 FL	
KTM	2014	50SX SR	.545 OD x .660 FL	
	2009-2012	50 SX/SXS SR	.74 OD x 1.145 FL	
	2009-2014	65 SX	.720 OD x .95 FL	
	2003-2014	85 SX/105 SX	.577 OD x 1.55 FL	
	2006-2012	250 SX/XC/XC-W	.702 OD x 1.48 FL	
	2006-2012	250 SX-F/XC-F/XC-W	.703 OD x 1.7 FL	
	2011-2012	350 SX-F/XC-F	.728 OD x 1.8 FL	
SUZUKI	2005-2015	RMZ 250	.705 OD x 2.065 FL	
	2008-2015	RMZ 450	.735 OD x 2.2 FL	
YAMAHA	1981-2016	PW 50	32# & 40#	
	2014-2016	YZ 250F	.68 OD x 1.95 FL	
	2008-2013	YZ 250F	.67 OD x 1.7 FL	
	2001-2007	YZ 250F	.675 OD x 1.825 FL	
	2006-2016	YZ 450F	.67 OD x 2.14 FL	
CANNON RACECRAFT CLUTCH SPRINGS ARE MADE OUT OF 17-7 STAINLESS STEEL TO WITHSTAND HIGHER HEAT. THIS IS SO OR TAKE A SET, THEREFORE WE CAN GUARANTEE THEM FOR LIFE. THEY ARE DESIGNED AT AN APPROXIMATE 20% LIGHTER FOR EASIER PULL ON THE CLUTCH HANDLE BUT A LONGER FREE LENGTH TO GIVE APPROXIMATELY 10-20% HIGHER INST GIVES THE PRESSURE PLATES A STRONGER ENGAGEMENT FORCE RESULTING IN LESS SLIPPAGE OF THE CLUTCH				

RATES AVAILABLE
3.2-7.6
3.2-7.6
3.6-7.8
3.6-7.8
3.2-7.6
SPECIAL
SPECIAL
4.4 - 6.8
3.6-6.8
3.6-6.8
3.6-6.8
3.6-6.8
3.6-6.8
3.6-7.8
3.6-7.8
4.4 - 6.8
4.2-6.8
4.2-6.8
3.6 - 6.8
3.6 - 6.8
3.6-7.8
SPECIAL
DUCED END
8.0-12.0
8.0-12.0
8.0-12.0
10.0-12.4
8.0-12.0

RATES AVAILABLE
3.2-6.6
RODS
3.2-7.6
3.2-7.6
3.2-7.6
3.6-7.8
3.6-6.8
3.6-6.8
3.6-6.8
3.6-7.8
3.6 - 7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
4.4-6.8
3.6-6.8
4.2-6.8
4.2-6.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
SPECIAL
SPECIAL
6.0-8.4
6.0-8.4
3.6-7.8
3.6-7.8
3.6-7.8
SPECIAL
3.2-7.6
RATES

AVAILABLE
3.0-4.4
3.0-4.4
3.0-4.4
3.2-6.6
3.2-6.6
3.2-6.6
3.0-6.0
3.0-6.0
3.0-6.0
3.4 -5.8
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
3.4 - 5.8
4.2-10.0
4.2-10.0
3.4 - 5.8
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
RATES AVAILABLE

4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
3.4 - 5.8
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
3.4 - 5.8
4.2-10.0
4.2-10.0
3.4 - 5.8
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
RATES AVAILABLE

4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
4.2-10.0
Special
Special
7.0-10.0
7.0-10.0
7.0-10.0
7.0-10.0
7.0-10.0
7.0-10.0
13.8 - 15.2
13.8 - 15.2
13.8 - 15.2
RRRECT PART

E FORKS
E FORKS
E FORKS
E FORKS
E FORKS
E FORKS
E FORKS
E FORKS
E FORKS
E FORKS
5/105SX
5/105SX
5/105SX
SX/KX65
SX/KX65
SX/KX65
SX/KX65
SX/KX65
SX/KX65
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
E SHOCK
RATES
AVAILABLE
RMATION
SPECIAL

3.6-6.8
3.6-6.8
3.6-6.8
6.0-8.4
3.2-6.6
3.2-7.6
SPECIAL
3.2-7.6
3.2-7.6
3.6-6.8
3.6-6.8
3.6-7.8
3.6-7.8
3.6 - 6.8
3.6-6.8
3.6-6.8
3.6-7.8
3.6-6.8
3.6 - 6.8
3.6-6.8
3.6-6.8
RATES
AVAILABLE
SPECIAL

3.6-7.8
3.6-7.8
3.6-7.8
RMATION
3.6-7.8
3.6-7.8
3.4-6.4
3.4-6.8
3.4-6.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
4.6-6.8
3.6-7.8
3.6-7.8
4.6-6.8
4.6-6.8
3.6-7.8
3.6-7.8
3.6-7.8
3.6-7.8
SPECIAL
SPECIAL
SPECIAL
3.6-7.8

PEN CARTRIDGE
D CARTRIDGE
4 TO A SET
5 TO A SET
5 TO A SET
5 TO A SET
5 TO A SET
6 TO A SET
4 TO A SET
6 TO A SET
5 TO A SET
5 TO A SET
5 TO A SET
5 TO A SET
6 TO A SET
3 TO A SET
6 TO A SET
5 TO A SET
6 TO A SET
5 TO A SET
6 TO A SET
5 TO A SET
6 TO A SET
5 TO A SET
6 TO A SET
2 TO A SET
5 TO A SET
5 TO A SET
5 TO A SET
6 TO A SET
THEY WON'T "SACK" RATE THAN STOCK ALLED LOAD. THIS CHES.

CANNON RACECRAFT SPRING DIMENSIONS

PART NUMBERS ARE SUBJECT TO CHANGES/CORRECTIONS AS NEEDED

FORK AND SHOCK SPRINGS: MEAN DIAMETER X MEAN LENGTH

TOLERANCES ARE: +/- 2 MM DIAMETER ON FORKS, +/- 1 MM DIAMETER ON SHOCKS, +/- 2

FORK PART #	OD x LENGTH	FORK PART #	OD x LENGTH	SHOCK PART #
24380	24.3 x 380	43472	43.1 x 472	21173
26380	26 x 380	43485	43.5 x 485	33120
27500	27 x 500	43495	42.8 x 495	35154
29380	29 x 380	43505	43 x 505	38168
30270	30 x 270	43743	42.4 x 743	38174
30330	30 x 330	44453	43.9 x 453	45134
30338	30 x 338	44460	44.4 x 460	46130
30370	30 x 370	44465	44 x 465	46212
30382	30 x 382	44467	43.5 x 467	48143
30597	30 x 597	44470	43.8 x 470	50196
31334	31.2 x 334	44480	43.5 x 480	51267
31428	31.2 x 428	44497	43.8 x 497	51290
32340	31.7 x 340	44664	44 x 664	52250
32448	32.4 x 448	46450	45.7 x 450	54288
33370	32.8 x 370	46465	45.7 x 465	55184
34444	34.4 x 444			55225
3530	35.2 x 300			55240
3534	34.7 x 340			56235
				57190
				57210
36475	35.8 x 475			59215
37505	36.7 x 505			59250
38425	38 x 425			59270
38510	37.7 x 510			59275
39462	38.6 x 462			60215
39505	38.8 x 505			60238
40462	40.2 x 462			60260
41460	41.2 x 460			62225
41470	41.2 x 470			62247
41485	41.2 x 485			62260
43457	43 x 457			64220
43461	43.5 x 461			64258
43465	43.5 x 465			64275
				67250
				67265

CANNON RACECRAFT INC., IT'S EMPLOYEES, AND ASSOCIATES DO NOT IMPLY WRITTEN OR SPRING IS A "KAYABA", "KYB", "SHOWA", "KTM", "PDS", "HONDA", "CR", "XR", "KAWASAKI", "KX", "YAMAHA", "YZ", "TTR", "WR", "WRF", "SUZUKI", "RM", "DR", "DRZ". WE SPRINGS TO FIT THESE APPLICATIONS BASED ON MARKET INFORMATION.

MM LENGTH

ID x LENGTH
21.1 x 173
32.5 x 120
34.9 x 154
38.0 x 168
38 x 174
45.3 x 134
46.32 x 130
45.75 x 212
48.2 x 143
50.38 x 196
50.8 x 267
51 x 290
45.4 x 51.7 x 250
53.5 x 50.5 x 288
55.03 x 184
55 x 225
55 x 240
56 x 235
57 x 190
57 x 210
59 x 215
59 x 250
59.4 x 61 x 270
59 x 275
60 x 215
60 x 238
60 x 260
62 x 225
61.5 x 56 x 247
62.18 x 260
63.5 x 59.5 x 220
63.5 x 65.5 x 258
64 x 66 x 275
64 x 66.6 x 250
64 x 66.6 x 265

ORAL THAT ANY

ESTRIVE TO MAKE